

# A Review on Use of Soft Computing in Hybrid Composite Materials

<sup>1</sup>Sushant Bhatt, <sup>2</sup>Vinay Singh

<sup>1</sup>Student of Master's of Technology, S.R. Institute of Management & Technology/AKTU, NH-24, Bakshi Ka Talab, Sitapur Road Lucknow, Uttar Pradesh, 227201

<sup>2</sup>Assistant Professor- S.R. Institute of Management & Technology/AKTU, NH-24, Bakshi Ka Talab, Sitapur Road Lucknow, Uttar Pradesh, 227201

---

**ABSTRACT:** This paper reviews the use of artificial intelligence in hybrid composite materials for mechanical optimization. In recent years there has been a lot of focus on utilizing the fibers of plants in an effective and economic manner. This is because of their abundance in nature. The soft computing is taken to include the tools of artificial intelligence methods and techniques to solve the problem of manufacturer. The four main issues of production which are Design, planning, production and system level activities when optimized with the tools of artificial intelligence improve the performance of production industry. This paper deals with the various works of researchers which have application of new AI paradigms in manufacturing.

**Keywords:** Composite, Fiber, Mechanical properties, Soft Computing

---

## I. INTRODUCTION

A structural material which consists of two or more constituents of material is called as composite material. It is a multiphase material which has significant proportion of properties of both constituent phase to realize the better properties of material. In recent years synthetic fiber based composite materials have been used in various applications which include industrial, appliances, sports, electrical, automobile, aeronautical etc.

They have good mechanical properties such as low heat conductivity, hardness, strength, low water absorption and resistance to abrasion. Natural resources have played a vital role in manufacturing industry. Composite material which uses natural fiber as raw material is produced at low cost. So the use of natural fiber as reinforcement in materials has been an important area of research. This article gives a brief review of intelligent computing methods and their use in manufacturing industry.

## II. APPLICATIONS OF HYBRID COMPOSITES

The advanced composite materials such as graphite, Carbon, Kevlar and Glass with suitable resins are widely used because of their high specific strength (strength/density) and high specific modulus (modulus/density) [1]. In principle several different types of fiber can be incorporated into a hybrid system [2] but in practice it is likely that a combination of only two types of fiber would be of most use.

Fiber epoxy composites have been used in aircraft engines to enhance the performance of the system [3]. The pilot's cabin door of aircrafts has also been made with hybrid resin composites and these are now used in other transport systems. Increasing demands on the performance of materials used in engineering applications necessitate the development of so-called adaptive, multifunctional, smart, or intelligent materials [4]. All the

structural elements have been made with Hybrid Fiber Reinforcement Plastics(GFRP & CFRP)[4,5]. The all HFRP solution was chosen for this bridge due to its heavily corrosive environment where the bridge is surrounded by the ocean.

Currently, the US Army uses helmets of a different design. These helmets, called PASGT helmets which are made using a composite comprising aramid fabric in a thermoset matrix. One overarching goal of the FFW helmet is to reduce weight compared to the PASGT helmet [6].

Conventionally railway use quad cables for communication as well as signaling. Due to change in technology & increase in applications of communications for data transmission optical fiber cables are now become backbone of communication. New hybrid cable design is made such that it reduces cost of installation & total cost of twoseparate cables. The Copper conductor and types of fiber cable reinforcement & protection are provided based on requirement of the field[ 4,7].

Material selection is an interdisciplinary effort and it often requires different fields of study such as material science and engineering, mechanical engineering, industrial engineering and other experts in the field of application[8].

The current trend is to reduce the price of high-performance fibers and develop the reinforcing fibers with special function.Composite materials have characteristics of multi-component, so they will certainly develop into the multi-functional composite materials. Wecouldsaythatthe development direction to multi-function is an inevitable trend to play the advantages of composite materials.

### **III. ADVANCEMENTS IN FIBER HYBRID COMPOSITES**

Manufacturing industry isexploiting composite material technology for structural components in order to obtain the reduction of the weight without decrease in machine quality and reliability[9].

Before selecting raw materials for composite manufacturing, it is mandatory to determine the appropriate manufacturing techniques.[11] This is important as it reduces the wastage of money, labor and time.

In practice, most composites consist of a bulk material (the matrix) and a reinforcement of some kind, added primarily to increase the strength and stiffness of the matrix[14].

The major improvement in the mechanical properties of composite material includes Stiffness, Dimensional stability, Corrosion Resistance, Specific strength, Failure strain Fatigue life design and optimum cost effectiveness[11,17].

Usual resins are polyesters, phenolic, melamine, silicone, polyurethane and epoxy. Mineral matrices, like silicon, carbide or carbon, are capable to withstand high temperatures[18].

The influences of strength of reinforcing ceramic particles as well as the mechanical and geometric properties of interphase boundaries on the peculiarities of mechanical response of TiC- reinforced NieCr metal-ceramic composite under dynamic loading was studied using model by Smolin, et al in [20].

Fiber inclusion of all types increased compressive strength, although this increase was not that significant and could have been obtained with simpler and moreeconomical methods like reducing water-cement ratio. High strength micro steel fiber OL 6/16 proved to be efficient in strengthening the matrix[21,22].

The mechanical properties of jute composites, except compression strength, can be significantly improved by effective hybridization with glass fiber as extreme glass plies[23].

The constituent fibers are intimately mixed such that no clusters of either type are present in the composite. Kalaprasad et al. [24] [25] have observed a considerable improvement in the in the mechanical properties of Low Density Polyethylene (LDPE) based short banana-glass fibers.

The present research work is undertaken to develop a new class of natural fiber reinforced polymer composite filled with ceramic filler and to study their mechanical and erosion wear behavior. The hybridization of natural fibers with synthetic fibers, which are stronger and more corrosion resistant are gaining much interest. The idea is that by using two types of fibers in a hybrid composite, the shortcomings of one can be compensated by the advantages of the other[26][27][28].

#### IV. SOFT COMPUTING IN COMPOSITE MATERIALS

The decision process underlying the development of engineering systems requires that a compromise be between usual conflicts and objective[29]. The soft computing approach is appropriate to support this type of decision because its techniques are very efficient at handling imprecise, uncertain, ambiguous, incomplete, and subjective data and information.

Y. Rostamiyan, et al in [34] explained that in order to optimize the mechanical properties of the nanocomposites, an artificial neural network was employed to generate a model, which was fed to a genetic algorithm that was then used to optimize the predicted mechanical properties.

For predicting the fatigue life of reinforced composite material Hany el Kaidi, et al in [37] derived a mathematical modelling based on Artificial Neural Network which was used by them as an alternative non linear modelling technique because of its ability of learning by training.

Soft computing techniques make it possible to create models and systems by exploiting the approximate reasoning and partial truth in order to mimic the remarkable decisions making ability of humans in real-life situations[40].

In composite materials development, this approach can facilitate an algebraic exploration and experimentation, which includes proofs, with various composite models before the commitment of more important materials engineering resources.

This will, in effect, facilitates an appropriate management of human efforts as well as natural materials and resources, particularly those that are susceptible to depletion[41][42][43].

Experimental data of consumption of Metal Matrix Composite collected were tested with artificial neural network technique[45]. Multilayer perceptron model has been constructed with feed forward back propagation algorithm using the input parameters of cutting speed, cutting feed, and volume fraction of the reinforced particles. Output parameters were the thrust force and cutting torque. Experimental test, an ANN is used to validate the results obtained and also to predict the behaviour of system under any condition within the operating range.

#### V. CONCLUSION

In this paper a review on application of artificial intelligence in hybrid composite material is been done and found out he conclusion that it is used to develop a mathematical model which can be used to optimize the mechanical properties of hybrid composites. Various others have implemented techniques like Neural network, Fuzzy logic and Genetic algorithm for formulating a mathematical model.

Decision making problems in the production industry regarding raw material and selection of composite material which is optimized can be easily done by using techniques of soft computing.

This review brings out the fact that new AI paradigms which consists of integrated modular and hybrid nature of intelligent computing can enhance the performance of production industry.

## REFERENCES

1. Saini P, Goel A, Kumar D (2013) Design and analysis of composite leaf spring for light vehicles. *Int J Innov Res Sci EngTechnol* 2: 5.
2. Hofer, K.E., Rao, N. and Stander, M. 'Fatigue behaviour of graphite-glass-epoxy composites', Proceedings of the Second International Carbon Fibers Conference (February 1974) paper 31
3. Gururaja M N, A N Hari Rao, " A Review on Recent Applications and Future Prospectus of Hybrid Composites" , *International Journal of Soft Computing and Engineering (IJSCE)* ISSN: 2231-2307, Volume-1, Issue-6, January 2012.
4. P. Sittner and R. Stalmans, "Developing Hybrid Polymer Composites with Embedded Shape-Memory Alloy Wires", *Journal of Materials* October, 2000.
5. Keller, T. Use of Fiber Reinforced Polymers in Bridge Construction. *International Association for Bridge and Structural Engineering*. Zurich,(2003).
6. S.M. Walsh, B.R. Scott, D.M. Spagnuolo, "The Development of Hybrid Thermoplastic Ballistic Material with Application to Helmets", *Army Research Labs, Aberdeen, MD*, December 2005 .
7. Pramod Srivastava, Pravin Ahire, Milind S Chavan, Girish Sharma, P. Narsingh, "New hybrid Composite Cable for Power transmission, Critical Signaling, & Telecom application" *Sterlite Optical Technologies Ltd. Silvassa. UT of Dadara& Nagar Haveli, INDIA* .
8. Karana E, Hekkert P, Kandachar P. Material considerations in product design: a survey on crucial material aspects used by product designers. *Mater Des* 2008;29:1081–9.
9. Gururaja MN, Rao ANH (2012) A review on recent applications and future prospectus of hybrid composites. *Int J Soft ComputEng* 1: 6.
10. Alen John, Sanu Alex, "A review on the composite materials used for automotive bumper in passenger vehicles", *Volume-4, Issue-4*, pp. 98-101, August-2014
11. AlieWubeDametew, " Design and Empirical Analysis of Selected Machine Elements from CompositeMaterials is Better to Use" , *International Journal of Swarm Intelligence and Evolutionary Computation*, 2017, 6:2
12. Sukhwinder Singh Jolly, "Advancements in Composite Materials and Their Applications in Engineering and Technology", *GRA – GLOBAL RESEARCH ANALYSIS*, Volume 1, Issue 5, pp. 42-44, Nov 2012
13. ZJ de Beer, "Applications for composite materials in the mining and metallurgy industry", present and future, pp. 1-10.
14. Gururaja MN, Rao ANH (2012) A review on recent applications and future prospectus of hybrid composites. *Int J Soft ComputEng* 1: 6.
15. Sudheera M., Hemantha K., Rajua K., Bhata T., *Proc. Mat. Sci.* 6 (2014) 975.

16. Basak S, Dixit US, Davim JP (2007) Application of radial basis function neural networks in optimization of hard turning of AISI D2 cold-worked steel with a ceramic tool. *Proc Inst Mech Eng B J EngManuf* 221:987–998
17. Rambabu K, Rompicharla RPK (2012) Design and optimization of drive shaft with composite materials. *Int J Mod Eng Res* 2: 5.
18. Nagavally RR (2016) Composite materials-History, types, fabrication techniques, advantages, and applications. In: *Proceedings of 29th IRF International Conference*, Bengaluru, India.
19. Xu W, Castillo PR, Zwaag S van der (2008). Designing nano-precipitation strengthened UHS stainless steels combining genetic algorithms and thermodynamics. *Comput. Mater. Sci.* Inpress.
20. A.Yu. Smolin, E.V. Shilko, S.V. Astafurov, I.S. Konovalenko, S.P. Buyakova, S.G. Psakhie, “ Modeling mechanical behaviours of composites with various ratios of matrix-inclusion properties using movable cellular automaton method”, *Elsevier Defence Technology*, Volume 11, 2015, pp 18-34.
21. W. Yao, J. Li, K. Wu, Mechanical Properties of Hybrid Fiber-Reinforced Concrete at Low Fiber Volume Fraction, *Cement and Concrete Research* 33 (2003) 27-30
22. C.X. Quian, P. Stroeven, Development of Hybrid Polypropylene-Steel Fibre Reinforced Concrete, *Cement and Concrete Research* 30 (2000) 63-69
23. ACI Committee 544, State-of-The-Art Report on Fiber Reinforced Concrete, ACI 544 1.R-96
24. Kalaprasad G, Joseph K. and Thomas S. Influence of short glass fiber addition on the mechanical properties of banana reinforced LDPE composites, *J. Comp. Matter*, 31: (1997), pp 509-526.
25. Kalaprasad G, Thomas S, Pavithran C, Neelakantan N. R. and Balakrishna S. Hybrid effect in the mechanical properties of short banana- glass hybrid fiber reinforced LDPE composites, *J. Reinf. Plast Compo*, 15, (1996), pp 48-73.
26. Karmaker AC, effect of water absorption on dimensional stability and impact energy of jute reinforced polypropylene. *J Mat Sci Lett* 1997;16:462-464.
27. Katz HS, Milewski JV, editors, *Handbook for fillers for Plastics*. New York; Van Nostrand Reinhold, 1987.
28. Adams RD, Singh MM. the effect of exposure to hot, wet conditions on the dynamic properties of fiber reinforced plastics. In: Carbon H, Verchery G, editors. *Durability of polymer based composites systems for structural applications*. London: Elsevier; 1991.
29. Odetunji A. Odejobi<sup>1\*</sup> and Lasisi E. Umoru, “ Applications of soft computing techniques in materials engineering: A review” , *African Journal of Mathematics and Computer Science Research* Vol. 2(7), pp. 104-131, August, 2009.
30. Gay D (2014) *Composite materials: Design and applications*. Third edition, CRC Press
31. Nagavally RR (2016) Composite materials-History, types, fabrication techniques, advantages, and applications. In: *Proceedings of 29th IRF International Conference*, Bengaluru, India.
32. R. S. Hingole and Dr. V. M. Nandedkar, “The Need of Expert System for Forming Analysis of Extrusion Process”, *International Journal of Mechanical Engineering & Technology (IJMET)*, Volume 1, Issue 1, 2010, pp. 248 - 252, ISSN Print: 0976 – 6340, ISSN Online: 0976 – 6359.
33. Yang, X.S., Deb, S., Engineering optimisation by cuckoo search, *International Journal of Mathematical Modelling and Numerical Optimisation*, 1(4), pp. 330-343, 2010.

34. Y. Rostamiyan , A. B. Fereidoon , A. HamedMashhadzadeh& M. A. Khalili, “ Augmenting epoxy toughness by combination of both thermoplastic and nanolayered materials and using artificial intelligence techniques for modeling and optimization”, J Polym Res (2013) 20:135
- 35 Becker O, Varley RJ, Simon GP (2004) EurPolym J 40:187–195
36. Mirmohseni A, Zavareh S (2011) J Polym Res 18:509–517
37. Hany El Kaidi, Yousef Al Assaf, “ Prediction of fatigue life of unidirectional glass fiber, epoxy, composite laminate using different neural network paradigms”, Elsevier Composite Structure, Volume 55, 20002, pp 239-246
38. Zhu Wei-hang. Massively parallel differential evolution-pattern search optimization with graphics hardware acceleration: An investigation on bound constrained optimization problems Journal of Global Optimization, 2011, 50(3): 417–437.
39. J.L. Grenestedt, “Steel to Composite Joints in Hybrid Ships,” Proc. International Conference of Sandwich Construction, Fort Lauderdale, March 31-April 2, 2003
40. Flintsch GW, Chen C (2004). Soft computing applications in infrastructure management. J. Infrastruct. Syst.(10) 4:157-166.
41. Odetunji A. Odejebi and Lasisi E. Umoru, “ Applications of soft computing techniques in materials engineering: A review”, African Journal of Mathematics and Computer Science Research Vol. 2(7), pp. 104-131, August, 2009
42. Kojima F, Kubota N, Hashimoto S (2001). Identification of crack profiles using genetic programming and fuzzy inference. J. Mater. Process. Technol. 108: 263-267
43. Li Y, Yu S-M, Li Y-L (2008). Intelligent optical proximity correction using genetic algorithm with model- and rule-based approaches. Computer Mater. Sci. Inpress.